

1.4-1

INDEX MAPS.

T.10.N R.5W 2nd Mer.

	106-109	107-109	107-109	107-108	107-108	108						
111	6	129	5	124	4	120	3	117	2	114	1	106
	128		128		123		120		116		114	
111	7	128	8	123	9	120	10	116	11	114	12	106
	127		127		123		119		116		113	
110	18	127	17	122	16	119	15	116	14	113	13	105
	127		126		122		119		115		113	
110	19	126	20	122	21	118	22	130	23	112	24	105
	125		125		121		118		130		112	
110	30	125	29	121	28	118	27	130	26	112	25	105
	124		124		121		117		129		111	
109	31	124	32	121	33	117	34	115	35	111	36	104
	104		104		104		103		103		103	

T.11.N R.5W 2nd Mer.

	139		139		139		138		138		138	
141	6	159	5	155	4	151	3	148	2	145	1	137
	159		159		154		151		148		144	
141	7	159	8	154	9	151	10	148	11	144	12	137
	158		158		154		150		147		144	
141	18	158	17	154	16	150	15	147	14	143	13	136
	157		157		153		150		147		143	
140	19	157	20	153	21	150	22	146	23	143	24	136
	156		156		153		149		146		143	
140	30	156	29	152	28	149	27	146	26	142	25	136
	156		155		152		149		146		142	
140	31	155	32	152	33	149	34	145	35	142	36	135
	133-135		133-135		133-135		133-134		133-134		134	

The figures on the lines refer to the page.

Township N. 10 North of Range N. 5 West of the 2nd Meridian Indiana

Ch. 1st Sec.

South Bound. 7.

East On a Random line between T. 9 & 10 N. R. 5 W. 6 miles then corrected back and marked the line from the cor. of T. 9 & 10. N. R. 4 & 5 W.

West On the South Bound. 7 of sec. 36. T. 10. N. R. 5 W.
 10.50 To a Brook. 15 links wide, crosses S. E.
 40.00 Set a 7/4 post from which
 Run course 4 in. dir. bears S 30 E 9 links north, & a.
 Buck. 3 " " " N 49 W. 23 " "
 80.00 Set a post for the cor. of sec. 35 & 36. from which
 Run 10 in. dir. bears N 45 E 33 links north, & a.
 Sugar. 10 " " " S 70 W. 24 " "
 Healthy Buck. land.

West On the South Bound. 7 of sec. 35. T. 10. N. R. 5 W.
 40.00 Set a 7/4 post from which
 Run 40 in. dir. bears N 80 E 22 links north, & a.
 Buck. 18 " " " S 75 W. 35 " "
 80.00 Set a post for the cor. of sec. 34 & 35 from which
 Run 13 in. dir. bears S 55 E 50 links north, & a.
 Sugar. 16 " " " N 66 W. 46 " "
 Land in middling good; timber Buck. Oak &c.

West On the South Bound. 7 of sec. 34. T. 10. N. R. 5 W.
 40.00 Set a 7/4 post from which
 Run 13 in. dir. bears N 74 W. 23 links north, & a.
 Do. 10 " " " S 44 E. 15 " "
 47.00 To a Brook. 10 links wide, crosses N. W.
 80.00 Set a post for the cor. of sec. 33 & 34 from which
 Run 16 in. dir. bears N 38 E 10 links north, & a.
 Do. 16 " " " N 70 W. 22 " "
 Middling Buck. land.

T. N. 10 N. R. N. 5 W 2nd Mer. Ind:

Meet On the South Boundary of Sec. 33. T. 10 N. R. 5 W. -
 37.50 To Brook 30 links wide, comes S. W.
 40.00 Set a 1/4 Sec post from which a (the bench 20 links wide, S. E.)
 Buck. 6 in. dia. bears S. 20 W. 10 links north; & a
 Box 6 in. 3, " " N 30 E. 12 " "
 80.00 Set a post for the cor. of sec. 32 & 33. from which a
 Buck. 18 in. dia. bears S. 56 E. 36 links north; & a
 do. 12 " " " N 25 W. 18 " "
 Land here Timber Buck. 65.

Meet On the South Boundary of Sec. 32. T. 10 N. R. 5 W.
 10.00 To Brook. 10 links wide, comes S. E.
 40.00 Set a 1/4 Sec post from which a
 Buck. 4 in. dia. bears N 75 W. 17 links north; & a
 do. 16 " " " S 68 E. 27 " "
 80.00 Set a post for the cor. of sec. 31 & 32 from which a
 Buck. 15 in. dia. bears N 17 W. 25 links north; & a
 do. 13 " " " S 77 W. 43 " "
 Poor Buck. land.

Meet On the South Boundary of Sec. 31. T. 10 N. R. 5 W.
 40.00 Set a 1/4 Sec post from which a
 Sugar. 14 in. dia. bears S. 20 E. 13 links north; & a
 Buck. 10 " " " N 45 E. 15 " "
 80.00 Set 200 links South of the Stamp post cor. of T. 9 & 10
 N. R. 5 & 6 W. and set a post for the cor. T. 9 & 10 N. R. 5 & 6 W.
 from which a McCab 8 in. dia. bears S. 42 E. 27 links north
 and a Hogwade 6 " " N 47 W. 13 " "
 Poor hilly Buck. land.

East Boundary

North On the East Boundary of Sec. 36. T. 10 N. R. 5 W. from the
 cor. of T. 9 & 10 N. R. 5 & 6 W.

170.

374

T. N. 10. N.R. N. 5 W. Q. 10. 11. Ind.:

28.50 To a Brook 8 links wide; Corners S. E.
 40.00 Set a post for the cor. of 1/4 Sec from which a
 Logwood 4 in. diam. bears S. 60. E. 1/4 links dist. &
 Poplar 5. " " " S. 85. W. 11. " "
 80.00 Set a post for the cor. of Sec. 25 & 36. from which a
 Birch 16 in. diam. bears N 85 W 34 links dist; &
 No. 12 " " " East 25 " "
 Poor hilly Oak, Sand.

North On the East Boundary of Co. 25 T. 10 N.R. 5 W
 22.50 To a Brook 8 links wide, Corners S. E.
 40.00 Set a post from which
 Birch 12 in. diam. bears N 11 W. 4 links dist; &
 Sugar. 14 " " " S. 5 E. 13 " "
 59.50 To a Brook 15 links wide, Corners S. E.
 76.00 " " No. 20 " " " S. E.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Birch 12 in. diam. bears S 59 W 9 links dist; &
 Sugar. 4 " " " N 35 E 20 " "
 Poor Brook lands;

North On the East Boundary of Co. 24. T. 10 N.R. 5 W
 20.00 To a Sugar. 14 in. diam. stands in the line.
 40.00 Set a post from which
 Sugar. 14 in. diam. bears S 26 W. 18 links dist; &
 Logwood 4 " " " East 14 " "
 43.00 To a Brook 8 links wide, Corners S. E.
 80.00 Set a post for the cor. of sec. 13 & 24 from which
 Birch 18 in. diam. bears S 39 E. 25 links dist; &
 Logwood 3 " " " N 85 W. 13 " "
 Poor hilly Brook lands.

North On the East Boundary of Co. 13 T. 10 N.R. 5 W.

D. No. 10 M.R. No. 577 2nd Mer. Ind.

17.50	To a Brook 10 links wide, Corner N.E.
34.00	To a R.R. 25 " " " S.E.
35.50	" Sugar. 18 in. dia. Stand on the line.
40.00	Set a 7/4 post from which a " Buck. 18 in. dia. beam S 58 W. 5 links out; & a " 4 " " " S 20 E. 20 " "
80.00	Set a post for the cor. of sec. 10 & 13 from which a " Buck. 14 in. dia. beam. N 44 W. 14 links out; & a " 6 " " " S 40 E. 20 " " Poor hilly Buck. land.

North	On the East Bound. 1 of sec. 10. & 10. M.R. 577
40.00	Set a 7/4 post from which a " Buck. 7 in. dia. beam. S 18 W. 6 links out; & a " 4 " " " N 53 E. 8 " "
80.00	Set a post for the cor. of sec. 1 & 12 from which a " Buck. 9 in. dia. beam. S 18 E. 18 links out; & a " Sugar. " " " N 5 W. 18 " " Middle of good Buck. land.

North	On the East Bound. 1 of sec. 1. 110 M.R. 577
40.00	Set a 7/4 post from which a " Oak 30 in. dia. beam. N 6 E. 43 links out; & a " Buck. 15 " " " S 6 W. 36 " "
80.00	Set a temp. 1/2 post for the cor. of sec. 10. & 11 M.R. 4 & 577. Cane 2nd rate; Timber Buck. Sugar &c. Surveyed by James Holmes. D.S.

	North Bound. 1	85.
East	On a Runam line on the South Bound. 1 of sec. 31. T.M. N.R. 577	
38.50	To a Brook 15 links wide Corner NW	
40.00	Set a temp. 1/4 post.	

D. 10 N.R. No 5 W. 2nd/3rd Ind.

80.00	Set a temp. 17 post for the cor. of sec. 31 & 32 Lands uneven Timber Oak. Buck & Sugar & Ash.
East	On a Random line On the South Bound of sec. 32. T. 11 R. 5
34.00	To a Brook 5 links mid, leaves S.E.
40.00	Set a temp. 17 1/4 sec. post
45.00	To a Brook 6 links mid, leaves N.W.
80.00	Set a temp. 17 post for the cor. of sec. 32 & 33. Lands & timber same as last mile.
East	On a Random line On the South Bound of sec. 33. T. 11 R. 5 W.
2.00	To a Brook 3 links mid, leaves N.
15.00	" " 10. 3 " " " N.
26.00	" " 10. 10 " " " N.W.
35.00	" " 10. 3 " " " S.
40.00	Set a temp. 17 1/4 sec. post
65.00	To a Brook 4 links mid, leaves N.W.
80.00	Set a temp. 17 post for the cor. of sec. 33 & 34 Lands timber & same as last mile.
East	On a Random line On the South Bound of sec. 34. T. 11 R. 5 W.
2.00	To a Brook 3 links mid, leaves N.
33.00	" " 10. 3 " " " N.W.
40.00	Set a temp. 17 1/4 sec. post.
70.00	To a Brook 10 links mid, leaves N.W.
80.00	Set a temp. 17 post for the cor. of sec. 34 & 35 Lands timber & same as last mile.
East	On a Random line On the South Bound of sec. 35. T. 11 R. 5 W.
35.00	To a Spring; great appearance of stone coal.
40.00	Set a temp. 17 1/4 sec. post.
80.00	Set a temp. 17 post for the cor. of sec. 35 & 36. Lands hilly & rich; Timber Sugar, Ash, Oak &c.

T. N. 10. N.R. N. 5 W. 2nd Mer. Ind.

East	On a Random line. On the South Boundary of sec. 36. T. 11 N. R. 5 W.
2.00	Set a post 10 links into, corner N.
30.00	" " 10 " " " N
40.00	Set a stump 1/4 sec post
80.00	Set 400 ch. South of the stump post; moved the post to the Random line for the cor. of T. 10 N. N.R. 4 W. 1/4 sec from which a Sugar, 18 in. diam. bears S 25 E. 21 links web; & a do. 18 " " " N 59 E. 9 " " Ground hilly and rocky; Timber Sugar, Oak, &c.
West	On the true line On the South Boundary of sec. 36. T. 11 N. R. 5 W.
40.00	Set the stump 1/4 sec post on the true line from which a Hickory 5 in. diam. bears N 89 W. 17 links web; & a R. Oak 36 " " " S 71 E. 39 " "
80.00	Set a post for the cor. of sec. 35 & 36 from which a Black 16 in. diam. bears S 38 W. 15 links web; & a Elm 24 " " " N 38 E. 48 " "
West	On the true line On the South Boundary of sec. 35. T. 11 N. R. 5 W.
40.00	Set the stump 1/4 sec post on the true line from which a Sugar 10 in. diam. bears S 22 W. 6 links web; & a Black. 18 " " " N 67 E. 26 " "
80.00	Set the stump 1/4 sec post on the true line for the cor. of sec. 35 & 34 from which a Logwood 8 in. diam. bears N 45 W. 21 links web; & a Hickory 7 " " " S 18 E. 13 " "
West	On the true line On the South Boundary of sec. 34. T. 11 N. R. 5 W.
40.00	Set the stump 1/4 sec post on the true line from which a Poplar 10 in. diam. bears S 29 E. 15 links web; & a do. 12 " " " N 41 E. 6 " "
80.00	Set a post stump on the true line for the cor. of sec. 33 & 34 from which a Sugar, 16 in. diam. bears S 52 W. 14 links web; and do. 16 " " " N 45 E. 20 " "

T. No 10 N.R. No 571, 2nd (New Sur.)

109

West 40.00	On the true line On the South Boundry of sec. 33 T. 11. N. R. 5W Set the trip. 1/4 to a post at the corner where the true line from which a Neuk 18 in. dia. beam. 918 E. 10 links sub; & a, Subsides 9" " " N 3 E. 24" "
80.00	Set a post for the cor. of sec. 32 & 33 true line from which a Neuk 18 in. dia. beam N 64 W. 16 links sub; & a, No. 18 " " " N 47 E. 14" "
West 40.00	On the true line On the South Boundry of sec. 32 T. 11. N. R. 5W Set the trip. 1/4 to a post on the true line from which a Neuk 12 in. dia. beam. N 57 W. 5 links sub; & a, Beuk. 16" " " S 59 E. 29 " "
80.00	Set a post for the cor. of sec. 31 & 32 from which a Beuk. 18 in. dia. beam S 57 W. 11 links sub; & a, Neuk 12 " " " N 55 E. 11 " "
West 40.00	On the true line On the South Boundry of sec. 31 T. 11. N. R. 5W Set the trip. 1/4 to a post at the true line from which a Beuk. 18 in. dia. beam N 52 W. 28 links sub; & a, Oak. 9" " " S 33 E. 23 " "
80.00	To the Post cor. of T. 10 & 11 N. R. 5 & 4 W. Surveyed by Alexander Holmes. L.S.

West Boundry	
North	On the East Boundry of sec. 36 T. 10 N. R. 6 W. From the cor. of T. 9 & 10 N. R. 5 & 6 W. April 27 1811
40.00	Set a 1/4 to a post from which a Neuk 16 in. dia. beam. S 55 W. 30 links sub; & a, Tramp Oak 5" " " N 37 E. 13 " "
47.50	To a Brook 12 links above House S. W.
80.00	Set a post for the cor. of sec. 25 & 36 from which a Beuk. 13 in. dia. beam. N 16 E. 15 links sub; & a,

148

T. N. 10. N.R. N. 5 W 2nd Mrs. Laid.

Buck. 13 in. diam. bend. S48 W. 11 links dist; & a,
Iron Oak & Buck. Curve.

North	On the East Corner of sec. 25. T. 10 N.R. 6 W.
6.50	Iron Brook. 18 links wide, across S.W.
38.00	To a Poplar. 18 in. diam. stands in the line.
40.00	Set a 1/4 section post from which on
	Elm. 14 in. diam. bend. N41 E. 25 links dist; & a, W Oak 33 " " S70 W. 39 " "
80.00	Set a post for the corner of 24 & 25 from which on
	Poplar. 20 in. diam. bend. N44 W. 19 links dist; & a, Hogwood 4 " " S33 W. 18 " "
	Go to 2nd rate; Timber Oak, Sugar, & Buck, & a.

North	On the East Corner of sec. 24. T. 10 N.R. 8 W
7.00	To a Sugar. 18 in. diam. stands in the line.
40.00	Set a 1/4 section post from which on
	Poplar. 24 in. diam. bend. S45 E. 9 links dist; & a, Hogwood 3 " " S77 W. 12 " "
80.00	Set a post for the corner of 13 & 24 from which on
	Thick 12 in. diam. bend. N40 W. 2 links dist; & a, Sugar. 15 " " N63 E. 19 " "
	Go to 2nd rate; Timber & Sugar as last note.

North	On the East Corner of sec. 13. T. 10 N.R. 8 W
17.00	To a W Oak. 15 in. diam. in the line.
40.00	Set a 1/4 section post from which on
	W Oak. — in diam. bend. S11 W. 31 links dist; & a, Ho. 16 " " S11 W. 24 " "
66.00	Iron Brook 10 links wide, across S.W.
80.00	Set a post for the corner of 12 & 13 from which on
	W Oak. 16 in. diam. bend. S50 W. 40 links dist; & a, Poplar 18 " " N65 E. 11 " "

Land maddling: good; Timber Oak & Sugar.

North	On the East Boundary of sec. 10. T. 10 N. R. 5 W.
40.00	Set a 1/4 section post from which
	1/2 Buck 18 in. diam. bears N 27 E. 14 links north; & a,
	do. 20 " " " S 60 W 60 " "
44.00	To a Hick 18 in. diam. in the line.
56.00	" " Brook 40 links wide, comes N.W.
80.00	Set a post for the cor. of sec. 1 & 10 from which
	1/2 Buck 16 in. diam. bears S 5 E 48 links north; & a,
	Logan 4 " " " N 74 W 31 " "
	Land and timber same as above.

North	On the East Boundary of sec. 1. T. 10 N. R. 6 W.
40.00	Set a 1/4 section post from which
	1/2 Oak 13 in. diam. bears S 31 W 8 links north; & a,
	1/2 Buck 18 " " " N 38 E 40 " "
80.00	Set a temporary post for the cor. of T. 10 & 11. N. R. 5 & 6 W.
	Land here Timber Buck & Sugar.
	Surveyed by James Holmes D.S.

Subdivisions	
North	Between Sec. 35 & 36. T. 10 N. R. 5 W.
34.00	To a Brook 10 links wide, comes N. E.
40.00	Set a 1/4 section post from which
	1/2 Buck 6 in. diam. bears East 5 links north; & a,
	do. 5 " " " S 56 W 13 " "
47.50	To a Brook 8 links wide, comes S. E.
80.00	Set a temporary post for the cor. of sec. 25, 26, 35 & 36

East	On a Random line between Sec. 25 & 36. T. 10 N. R. 5 W.
------	---

T. N^o 10. N. R. N^o 5 W. 2nd Mer. Land.

West	On the true line between Sec. 25 & 36. T. 10 N. R. 5 W.
40 00	Set a post for the cor. of 1/4 Sec. from which a Birch 10. in. diam. bears N. 13. E. 12. links dist. 8
	Do 30. " " " S. 11. E. 33. " "
80 00	Set a post for the cor. of Sec. 25 & 26. 35 & 36. from which a Dogwood 6. in. diam. bears N. 69. W. 16. links dist. 8
	Birch 4. " " " S. 40. W. 12. " "
	Land in this mile open; Timber, Birch, Oak &c.
North	Between Sec. 25 & 26. T. 10 N. R. 5 W.
40 00	Set a 1/4 Sec. post from which a Birch 24. in. diam. bears N. 20. E. 4. links dist. 8
	Dogwood 5. " " " S. 80. W. 20. " "
46. 50	To a Brook 10 links wide; Course N. E.
80. 00	Set a stump post for the cor. of Sec. 23. 24. 25 & 26. Land & timber same as on the last mile
East	On a random line between Sec. 24 & 25. T. 10 N. R. 5 W.
West	On the true line between Sec. 24 & 25. T. 10 N. R. 5 W.
29. 50	To a Brook 14 links wide; Course S. E.
40 00	Set a post for the cor. of 1/4 Sec. from which a Sugar 15. in. diam. bears N. 5. E. 29. links dist. 8
	Birch 6. " " " S. 12. E. 19. " "
80 00	Set a post for the cor. of Sec. 23. 24. 25 & 26. from which a Hickory 10. in. diam. bears S. 10. W. 19. links dist. 8
	Sugar 12. " " " N. 10. W. 11. " "
	Land Broken & open. Timber. Birch. Oak &c.
North	Between Sec. 23 & 24. T. 10. N. R. 5. W.
14. 50	To a Brook 8 links wide. Course N. E.
15. 00	" " Hickory 26 in. diam. stands in the line
32. 00	To a Brook 20 links wide. Course S. E.

T. N. 10. N. R. N. 3. T. 2nd (Mr. Lard)

40 00	Get a post for the cor. of 1/4 Sec. from which a Buck 4. in. diam. bears S. 80. W. 3. links. dist. 42 Sugar 12. " " " N. 20. E. 24. " "
41. 50	To a Brook 8. links wide. Course S. W.
52. 00	" " " 8. " " " S. E.
80. 00	Get a temporary post for the cor. of Sec. 13. 14. 23. & 24. Land & timber same as on the last mile
East	On a Random line between Sec. 13. & 24. T. 10. S. R. 5. W.
West	On the true line between Sec. 13. & 24. T. 10. S. R. 5. W.
40 00	Get a post for the cor. of 1/4 Sec. from which a Sugar 15. in. diam. bears N. 60. E. 11. links. dist. 42 Do. 14. " " " N. 80. W. 15. " "
79. 00	Get a post for the cor. of Sec. 13. 14. 23. & 24. from which an Ash 20. in. diam. bears S. 80. E. 10. links. dist. 42 Ash 18. " " " N. 75. W. 20. " " Land for Stoney & Hilley
North	Between Sec. 13. & 14. T. S. 10. S. R. S. 5. W.
30. 00	To a Hickory 20 in. diam. stands in the line
40 00	Get a post for the cor. of 1/4 Sec. from which a Buck 5. in. diam. bears S. 41. E. 8. links dist. 42 Hickory 18. " " " N. 41. W. 27. " "
58. 00	To a Brook 15. links wide. Course S. E.
80. 00	Get a temporary post for the cor. of Sec. 11. 12. 13. & 14. Land & timber same as last mile.
East	On a Random line between Sec. 12. & 13. T. 10. S. R. 5. W.
West	On a true line between Sec. 12. & 13. T. 10. S. R. 5. W.
6. 00	To a Brook 12. links wide Course S.
40. 00	Get a post for the cor. of 1/4 Sec. from which a

T. No 50. N.R. No 37. 2nd Mrs. Sud?

	<p>B. Oak 10. in. diam. bears N. 60. W. 9. links dist. & a Hickory 12. " " " S. 45. E. 26. " "</p>
54. 50	To a Brook 10 links wide; Course S. E.
67. 00	" " Do. 13. " " " S. E.
79. 00	Set a post for the cor. of sec. 11. 12. 13. & 14. from which a Sugar 14. in. diam. bears N. 80. E. 9. links. dist. & a Birch 4. " " " S. 50. W. 29. " "
	Land hilly & poor. Timber same
North	Between sec. 11. & 12. T. 10. N. R. S. 5. W.
5. 00	To a Brook 15. links wide; Course E.
24. 50	" " Poplar 24. in. diam. stands in the line
40 00	Set a 1/4 Sec. post from which a Birch 18. in. diam. bears S. 30. W. 23. links dist. & a Sugar 10. " " " N. 80. E. 4. " "
80 00	Set a transp. post for the cor. of Sec. 1. 2. 11. & 12. Fallen timber Land hilly &c. March 23. 1814.
East	On a random line between Sec. 1. & 12 T. 10. N. R. S. 5. W.
West	Between Sec. 1. & 12. T. 10. N. R. S. 5. W.
27. 00	To a Brook 15. links wide; Course S. W.
37. 00	" " Do. 6. " " " S. E.
40. 00	Set a post for the cor. of 1/4 Sec. from which a Birch 30. in. diam. bears S. 5. W. 14 links dist. & a Sycamore 4. " " " S. 10. W. 12. " "
80 00	Set a post for the cor. of Sec. 1. 2. 11. & 12. from which a Poplar 24. in. diam. bears S. 88. W. 20. links dist. & a Birch 24. " " " S. 53. E. 30. " "
	Land hilly; Timber, Birch, Oak, &c.
North	Between Sec. 1. & 2. T. S. 10 N. R. S. 5. W.
4000	Set a post for the cor. of 1/4 Sec. from which a

T. N. 10. N. R. No 5 W 2nd Mer Ind.

85. 00	<p> <i>a</i> Buck 20. in. diam. bears S. 32. W. 23. links dist. & a <i>do.</i> 5. " " " N. 10. E. 21. " " Intersect the S. Boundary 3.50 links. West of the post cor. of Sec. 35. & 36. T. 11. S. R. 5. W. & set a post for the cor. of Sec. 1. & 2. From which a Buck 8. in. diam. bears N. 57. W. 43. links. dist. & a Sugar 15. " " " S. 40. E. 13. " " Land broken; Timber Buck. Sugar. Poplar &c. </p>
North	Between Sec. 34. & 35. T. 10. S. R. 5. W.
13. 50	To a Brook 8. links wide. Course N. W.
29. 00	" " <i>do.</i> 6. " " " West.
40. 00	Set a post for the cor. of $\frac{1}{4}$ Sec. From which a Sugar 14. in. diam. bears S. 25. E. 23. links. dist. & a <i>do.</i> 8. " " " N. 68. E. 23. " "
55. 00	To a Brook 6 links wide; Course S. W.
57. 50	" " <i>do.</i> 8. " " " S. W.
80. 00	Set a temp. post for the cor. of Sec. 26. 27. 34. & 35.
East	On a Random line between Sec. 14. & 23. T. 10. S. R. 5. W.
West	On the true line between Sec. 14. & 23. T. 10. N. R. 5 W
40. 00	Set the $\frac{1}{4}$ post on the true line from which a Buck 4 in. diam. bears N. 25 E. 8 links dist; & a <i>do.</i> 4 " " " South 11 " "
51. 50	To a Brook 10 links wide, Course S. W.
58. 00	To a " 8 " " " S. W.
79. 50	Set a post for the cor. of sec 14-15, 22 & 23 from which a Sugar 12 in. diam. bears N. 40 W 10 links dist; & a Ironwood 4 " " " S. 75 E. 10 " " Poor Broken land; Flatter; Timber March 24 th 1841.

T. N. 10 N.R. N. 571. 2nd Mer. Sur.

North	Return Sur. 14 & 15 T. 10 N.R. 571.
40.00	Set a 7/4 post from which Sugar. 8 in. diam. beam. South 21 links out; & 2, No. 10 " " " N 40 E. 5 " "
80.00	Set a temp. 7/4 post for the cor. of sec. 10-11-14 & 15. Healthy Buck land;
East	On a Random line between Sur. 11 & 14 T. 10 N.R. 571
West	On the true line between Sur. 11 & 14 T. 10 N.R. 571
40.00	Set a 7/4 post on the true line from which Buck. 6 in. diam. beam. S 20 E. 23 links out; & 2, Log. mark 4 " " " N 30 W 17 " "
80.00	Set a post for the cor. of sec. 10-11-14 & 15 from which Buck. 15 in. diam. beam. S 37 W. 15 links out; & 2, No. 15 " " " N 80 E. 19 " " Sands broken; Timber Buck, Oak &c.
North	Return Sur. 10 & 11 T. 10 N.R. 571
40.00	Set a 7/4 post from which Buck. 18 in. diam. beam. N 45 E. 21 links out; & 2, Mark 7 20 " " " S 55 W. 29 " "
80.00	Set a temp. 7/4 post for the cor. of sec. 2, 3, 10 & 11. of Sands broken; Timber Oak, Sugar, &c.
East	On a Random line between Sur. 2 & 11 T. 10 N.R. 571
West	On the true line between Sur. 2 & 11 T. 10 N.R. 571
13.50	Set a Buck 10 link wire, corner S W
19.00	" " No. 8 " " " S E.
40.00	Set a 7/4 post from which (on true line) Saddle fork 18 in. diam. beam S 75 E. 26 links out; & 2, Cherry 5 1/2 " " " N 50 E. 25 " "

D. N. 10. N.R. N. 571. 2nd. New Ind.

117

43.50	To a Brook 6 links mid, Course SE
80.00	Set a post for the cor. of sec. 2, 3, 10 & 11 from which a Sagittaria: diam. 10 in. N 10 W 10 links mid; & a, Oak 15 " " South 30 " " Sands broken; Timber Sugar, Buck Oak & S.
North	Return Sec 2 & 3. T. 10 N.R. 571
40.00	Set a 1/4 section post from which a Poplar, 14 in. diam. N 80 E. 34 links mid; & a, Oak 30 " " N 40 W 9 " "
82.00	To a Brook 12 links mid, Course NW.
85.00	Enter at the N. Bound. at the post cor of sec. 34 & 35 T. 11. N.R. 571 from which Buck 4 in. diam. Sec NW. 5 links mid; & a, Oak 30 " " S 80 E. 10 " " Sands (muddling) quality; Timber Oak, Buck & Sugar
North	Return Sec 33 & 34 T. 10 N.R. 571.
19.00	To a Brook 25 links mid, Course W.
22.00	" " Do. " " " " SE
26.00	" " Do. " " " " SW.
40.00	Set a 1/4 section post from which a Poplar, 36 in. diam. Sec E. 11 links mid; & a, Sugar. 10 " " N 80 W 11 " "
54.00	To a Brook 15 links mid, Course SW.
66.00	" " Do. 15 " " " " SE.
75.00	" " Do. 15 " " " " SW.
80.00	Set a temp. post for the cor of sec. 27, 28, 33 & 34. Sands broken; muddling soil Timber Oak, Buck & Sugar
East	On a Random line between Sec. 27 & 34. T. 10 N.R. 571.
West	On the true line between Sec. 27 & 34. T. 10. N.R. 571

ga.

Comp.

T. N. 10 N.R. N. 5 W. 20. 20. 20. S. 20.

- 34.00 To a Brook 12 links min., Corner S.
 40.00 Set the 1/4 section on the true line from which a
 Sugar 12 in. diam. beam. S 48 E. 17 links min; & a
 Buck 10 " " " N 4 E. 14 " "
 49.50 To a Brook 15 links min., Corner S.
 80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which a
 Buck 15 in. diam. beam. N 70 W. 29 links min; & a
 B. Oak 3, " " " S 10 W. 5 " "
 Broken, Buck, Land.

- North Between Sec. 27 & 28. T. 10 N.R. 5 W.
 12.00 To a Brook 15 links min., Corner S. E.
 40.00 Set a 1/4 section from which a
 Buck 30 in. diam. beam. N 55 E. 28 links min; & a
 Co. 4 " " " N 5 W. 23 " "
 66.00 To a Hickory 24 in. diam. stands in the line.
 80.00 Set a trumpet post for the cor. of sec. 21, 22, 27 & 28.
 Land broken; muddling dirt, Timber Oak, Buck & Sugar

East On a Random line between Sec. 22 & 27 T. 10 N.R. 5 W.

- West On the true line between Sec. 22 & 27. T. 10 N.R. 5 W.
 40.00 Set the trumpet 1/4 section on the true line from which a
 Buck 10 in. diam. beam. N 80 E. 37 links min; & a
 Sugar 15 " " " S 5 W. 15 " "
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 T. 10 N.R. 5 W.
 from which on Ironwork 11 in. diam. beam. S 5 W. 22 links min
 and a Maple post 4 " " " N 35 E. 6 " "
 Muddling Buck Land;

- North Between Sec. 21 & 22. T. N. 10. N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 12 in. diam. beam. N. 40. E. 30 links min; & a

8000	<p>Hickory 12 in. diam. bears N. 50. W. 35. links dist. Set the temp. post for the cor. of Sec. 15. 16. 21. & 22. Land middling. Fallen timber.</p>
East	On a Random line between Sec. 15. & 22. T. 10. S. R. 5. W.
West	On a true line between Sec. 15. & 22. T. S. 10. S. R. 5. W.
2000	To a Buck 8. links wide Course S.
4000	Set a post for the cor. of 1/4 Sec. from which a Sugar 12 in diam. bears North 4. links dist. & a Sapling 10. " " " S. 10 E. 40. " "
8000	Set a post for the cor. of Sec. 15. 16. 21. & 22. from which a Hickory 16. in. diam. bears S. 75. W. 14. links dist. & a No. 12. " " " S. 10. E. 25. " "
North	Between Sec. 15. & 16. T. 10. S. R. 5. W.
16. 00	To a Sugar 20. in. diam. stands in the line
29. 50	" " Buck 8 links wide Course S. W.
40. 00	Set a post for the cor. of 1/4 Sec. from which a Hick. 16. in diam. bears S. 29. W. 3. links dist. & a No. 10. " " " S. 40. E. 24. " "
47. 50	To a Buck 9. links wide; Course, West.
57. 50	" " No 12. " " " S. W.
8000	Set a temp. post for the cor. of Sec. 9. 10. 15. & 16. Land middling; Timber Buck Sugar. Oak. & Hick.
East	On a Random line between Sec. 10. & 15. T. 10. S. R. 5. W.
West	On the true line between Sec. 10. & 15. T. 10. S. R. 5. W.
4000	Set a post for the cor. of 1/4 Sec. from which a Buck 4 in diam. bears S. 10 E. 7. links dist. & a Hick. 16. " " " S. 50. E. 30. " "
80 00	Set a post for the cor. of Sec. 9. 10. 15. & 16. from which

T. N^o 10 N.R. N^o 5 W 2nd Mer. Ind.

a W. Oak 36 in. diam. bears S. 30. W. 20. links dist. 8 a

W. Oak 16 " " " S. 35. E. 21. " "

Land & Timber same as on the last mile.

North Between Sec. 9. & 10. T. 10. S. R. 5. W.

11. 00 To a Brook 8 links wide; Course S. W.

40. 00 Set a 1/4 Sec. Post from which a

Hickory 12 in. diam. bears South 11. links dist. 8 a

W. Oak 13. " " " S. 80. W. 32. " "

64. 50 To a Brook 10 links wide; Course S. W.

80. 00 Set a temp. Post for the cor. of Sec. 3. 4. 9. & 10.

Land of a middling quality. Timber Oak. Beech Sugar &c.

East On a Random line between Sec. 3. & 10. T. 10. S. R. 5. W.

West On the true line between Sec. 3. & 10. T. 10. S. R. 5. W.

36. 50 To a Brook 10 links wide; Course S. W.

40. 00 Set a Post for the cor. of 1/4 Sec. from which a

Poplar 10. in diam. bears S. 31. W. 11. links dist. 8 a

Sugar 6 " " " S. 60. E. 14. " "

80. 00 Set a Post for the cor. of Sec. 3. 4. 9. & 10. from which a

Beech 24 in diam. bears S. 30. W. 11. links dist. 8 a

Sh. 14. " " " S. 20. E. 17. " "

Land middling good. Timber Beech. Sugar Oak. Poplar &c

North Between Sec. 3. & 4. T. S. 10 S. R. 5. W.

25. 00 To a W. Oak 30. in. diam. stands in the line

26. 00 To a Brook 12 links wide; Course S. W.

40. 00 Set a Post for the cor. of 1/4 Sec. from which a

B. Oak 30. in. diam. bears S. 40. E. 7 links dist. 8 a

W. Oak 12. " " " S. 45. W. 17. " "

57. 00 To a Sugar 12 in. diam. stands in the line

85. 10 Intersect the N. Boundary 50 links W. of the Post

121

T. N. 10 N. R. N. 5 W 2nd Mer Ind.

cor. of Sec. 33 & 34 T. 11. S. R. 5. W. & set a post for the
cor. of sec. 3 & 4. From which a

Sugar 10 in diam. bears S. 30. E. 15 links dist. & a
Poplar 48. " " " S. 80 W. 40. " "

Land & timber same as last mile.

North Between Sec. 32 & 33. T. 10. S. R. 5. W. March 26. 1814.

40.00 Set a post for the cor. of 14 Sec. From which a

Hogwood 4 in diam. bears S 40 W 26 links dist; & a,
Hickory 3, " " " N 80 E. 10 " "

80.00 Set a temp. post for the cor. of sec. 28, 29, 32 & 33.

Poor land; Timber nearly all down

East On a random line between Sec. 28 & 33. T. 10 N. R. 5 W

The fallen timber was so bad we could not run the line.
Neither was there any timber to mark

Set the post for the cor. of sec. 28, 29, 32 & 33 from which a
Yew 12 in diam. bears S 53 E. 13 links dist; & a,
Hickory 14, " " " N 75 E. 8 " "

North Between Sec. 28 & 29 T. 10 N. R. 5 W

21.00 Lost Brook 8 links wide, Comes S. E.

40.00 Set a post for the cor. of sec. 20, 21, 28 & 29.

Poplar 6 in diam. bears N 12 W 10 links dist; & a,
Sugar. 12, " " " S 10 W 21 " "

75.50 Lost Sugar. 14 in diam. on the line

80.00 Set a temp. post for the cor. of sec. 20, 21, 28 & 29.

Poor hilly Land; Timber nearly all down

East On a random line between Sec. 21 & 28 T. 10 N. R. 5 W

West On the true line between Sec. 21 & 28. T. 10 N. R. 5 W

33.50 Lost Brook 7 links wide, Comes N. W.

T. No 10 N.R. No 5 W. 2nd Mer. Ind.

- 40.00 Set a post from which (on the line)
Dogwood 3 in. diam. bend. S 25 W. 44 links dist; 7 ft
Gum. 6 " " " N 80 E. 70 " "
- 53.00 To a Brook. 12 links wide, Course N.W.
- 80.00 Set a post for the cor. of sec. 20. 21. 28 & 29 from which
Sugar. 15 in. diam. bend. N 25 E. 12 links dist; 7 ft
Oak 5 " " " East 12 " "
Land and timber same as last mile.

- North Between Sec. 20 & 21. T 10 N.R. 5 W.
- 37.00 To a Brook 15 links wide, Course N.
- 40.00 Set a post from which
Sugar. 12 in. diam. bend. N 45 E. 6 links dist; 7 ft
Buck. 12 " " " N 45 W. 5 " "
- 68.00 To a Brook 12 links wide, Course S.W.
- 80.00 Set a temp. post for the cor. of sec. 16. 17. 20 & 21.
Poor hilly land; timber nearly all down

East On a random line between Sec. 16 & 21. T 10 N.R. 5 W

- West On the true line between Sec. 16 & 21. T 10 N.R. 5 W
- 40.00 Set a post from which no timber near
- 53.00 To a Brook 12 links wide, Course N.
- 80.00 Set a post for the cor. of sec. 16. 17. 20 & 21 from which
B. Oak. 5 in. diam. bend. N 43 E. 3 links dist; 7 ft
Ironwood 4 " " " E 6 18 " "
Land and timber same as last mile.

- North Between Sec. 16 & 17. T 10 N.R. 5 W.
- 40.00 Set a post from which
B. Oak. 12 in. diam. bend. S 70 E. 23 links dist; 7 ft
Poplar 10 " " " N 73 W. 19 " "
- 80.00 Set a temp. post for the cor. of sec. 8. 9. 16 & 17.

123

T. N. 10. N. R. N. 5th 2nd Mer. Ind. r

Land middling Timber. Birch. Oak, Sugar &c.

East	On a Random line between Sec. 9. & 16. T. 10. S. R. 5 th N.
West	On the true line between Sec. 9. & 16. T. 10. S. R. 5 th N.
40.00	Set a post for the cor. of 1/4 Sec. from which a Hickory 18 in. diam. bears S. 55. W. 7. links. dist. 40 Sec. 18. " " " S. 20. E. 15. " "
80.00	Set a post for the cor. of Sec. 8. 9. 16. & 17. from which a W. Oak 36 in. diam. bears S. 5. W. 14. links. dist. 40 Hick. - " " " S. 45. E. 9. " "
	Land & timber same as on the last mile. March 27 th 1814.
North	Between Sec. 8. & 9. T. 10. S. R. 5 th N.
31.00	To a Brook 8 links wide Course E.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck 15 in. diam. bears N. 25. W. 27 links. dist. 40, No. 18 " " " S. 3. E. 20 " "
80.00	Set the post cor. of sec. 4, 5, 8 & 9. (temp.)
East	On a Random line between Sec. 4. & 9. T. 10. S. R. 5 th N.
West	On the true line between Sec. 4. & 9. T. 10. S. R. 5 th N.
37.50	To a Brook 10 links wide, Corner N. W.
40.00	Set the temp. post on the true line for the cor. of 1/4 Sec. from which a Buck 12 in. diam. bears N. 50. W. 8 links. dist. 40 No. 12 " " " S. 10. E. 6 " "
53.50	To a Brook 12 links wide, Corner N. W.
80.00	Set a post for the cor. of sec. 4, 5, 8 & 9 from which a W. Oak 15 in. diam. bears N. 25. E. 14 links. dist. 40, Poplar 6 " " " N. 80. W. 7. " "
	Middling good land; Timber Buck, Sugar & Oak.

T. N. 10 N. R. No 5 W. 2nd Mer. Ind:

North Between Sec. 4 & 5 T. 10 N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 12 in. diam. bears S. 30 E. 8 links dist; & a
 W. Oak 18 " " " N. 15 W. 18 " "
 84.00 Intersect the N. Boundary 100 links East of the post set
 for the cor. of Sec. 32 & 33 T. 11 N. R. 5 W. and set a post for
 the cor. of Sec. 4 & 5 from which a
 Sassafras 5 in. diam. bears S. 45 E. 3 links dist; & a
 Do. 6 " " " N. 20 W. 11 " "
 Lands and timber Same as last met.

North Between Sec. 31 & 32 T. 10 N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Birch 18 in. diam. bears S. 50 W. 20 links dist & a
 Sugar 10 " " " S. 65 E. 15 " "
 73.50 To a Brook 10 links wide. Course S. W.
 80.00 Set a stump post for the cor. of Sec. 29. 30. 31. & 32.
 Land hilly. Timber Oak. Hickory & very much down.

East On a Random line between Sec. 29 & 32 T. 10 N. R. 5 W.

West On the true line between Sec. 29 & 32 T. 10 N. R. 5 W.
 5.00 To a Brook 10 links wide; Course S. W. The fallen
 timber so bad we could get no farther
 set the post at the cor. of Sec. 29. 30. 31. & 32. from
 which a W. Oak 30 in. diam. bears S. 56 E. 36 links dist.
 & a " Do 24 " " " S. 41 E. 42 " "

West Between Sec. 30 & 31 T. 10 N. R. 5 W.
 40.00 Set a post for the cor. of Sec. from which a
 W. Oak 30 in. diam. bears S. 70 E. 42 links dist. & a
 W. Oak 4 " " " S. 5 E. 9 " "
 79.00 Intersected the West Boundary 250 links South

T. N. 10. N. R. No 577. 2nd Mer. Ind.

of the transept post cor of sec. 25 & 36. T. 10. N. R. 577
and set a post for the cor of sec. 31 & 31. From which a
W Oak 30 in dia: band. S 39 E. 25 links out; & a
" 24 " " " N 44 W. 27 " "
Sandy hill, Timber Oak, Poplar, & Sugar.

North	Return Sec. 29 & 30 T. 10 N. R. 577
40.00	Set a 7/8" post from which Sugar 20 in dia: band. S 20 W. 21 links out; & a Sassafras 4 " " " N 25 E. 7 " "
80.00	Set a transept post for the cor of sec. 19. 20. 29 & 30 Heilly Oak Sand.
Cash	On a Random line between Sec. 20 & 29 T. 10 N. R. 577
West	On the true line between Sec. 20 & 29 T. 10 N. R. 577.
40.00	Set a 7/8" post on the true line from which a W Oak 24 in dia: band. S 5 W. 11 links out; & a Buck. 5 " " " N 5 E. 14 " "
61.50	For a Brook 5 links in, across N. R.
80.00	Set a post for the cor of sec. 19. 20. 29 & 30 from which Poplar. 20 in dia: band. S 44 W. 4 links out; & a Heilly 18 " " " N 40 E. 32 " " Sandy hill; Timber Oak & Poplar.
West	On the true line between Sec. 19 & 30 T. 10 N. R. 577
38.50	For a Creek 30 links in, across S. R.
40.00	Set a 7/8" post from which a Buck. 10 in dia: band. N 38 E. 23 links out; & a Heilly 18 " " " N 80 W. 15 " "
79.00	Enter out the W. Boundary 250 links South of the post cor. of sec. 24 & 25 T. 10 N. R. 677 and set a post for the cor. of sec. 19 & 30 from which a

T. N. 10 N.R. N. 5 W. 2nd Mer. Ind.

Loganville 5 mi. dist. from N 38 W 27 links dist. & N
Heik 20 " " " N 45 E 12 " "
Lauderhill, Timber Oak, Peach, Heik 7 1/2.

March. 28. 1814

North Between Sec 19 & 20. T. 10 N. R. 5 W.
28.50 To a Creek 50 links wide, Course W
40.00 Set a post for the cor of 1/4 section which a
Poplar 12 in. diam. bears S 80 E. 9 links dist. & N
No. 5 " " " West of " "
47.00 To a Brook 5 links wide, Course S. E.
80.00 Set a temp. post for the cor of Sec. 17, 18, 19 & 20.
Lauderhill, Timber Oak, Peach, Heik 7 1/2.

East Quarter section line between Sec. 17 & 20 T. 10 N. R. 5 W.

West On the true line between Sec. 19 & 20. T. 10 N. R. 5 W.
38.50 To a Creek 50 links wide, Course S. W.
40.50 Set a post for the cor of 1/4 section from which a
Oak 12 in. diam. bears N 38 E. 23 links dist. & N
No. 18 " " " N 80 W. 15 " "
~~Lauderhill, Timber, Oak, Heik~~

West On the true line between Sec. 17, 18, 19 & 20. T. 10 N. R. 5 W.
16.00 To a Brook 5 links wide, Course S.
46.00 Set a post for the cor of 1/4 Sec from which a
Oak 40 in. diam. bears S 50 E. 10 links dist. & N
Brook 10. " " " S. 54 E. 7. " "
41.50 To a Brook 4 links wide. Course S.
59.00 " " No. 5. " " " S. E.
80.00 Set a post for the cor of Sec. 17, 18, 19 & 20. from which
a Poplar 24 in. diam. bears S 67 E. 20 links dist. & N
No. 30 " " " S. 40 E. 16. " "

127

T. N. 10 N.R. No 577 2nd Mer Sud.

Sandhilly; Timber Oak, Hick, & Sugar.

West	Petroleum Sec. 18+19 T. 10 N. R. 5 W.
40.00	Set a 1/4 section post from which a Beck. 6 in. diam. band N 5 E. 19 links dist; & a, No 8 " " " S 40 E 18 " "
80.00	Enter at the West corner of 350 links South of the post, cor of sec. 13+24 T. 10 N. R. 6 W and set a post for the cor of sec. 18+19 from which a Beck. 24 in. diam. band. S 8 E. 23 links dist; & a, Hick 12 " " " N 50 W 35 " " Sandhilly; Timber Beck, Oak, Hick & Sugar.

North	Petroleum Sec. 17+18 T. 10 N. R. 5 W.
20.00	To a Beck 6 links mid, corner S. E.
40.00	Set a 1/4 section post from which a Beck. 16 in. diam. band. East. 13 links dist; & a, Ash 20 " " " S 80 W. 28 " "
80.00	Set a temporary post for the cor. of sec. 7. 8. 17+18. Land 2 nd rate; Timber Oak, Beck, Sugar, & Petrol.

East	Quadrangle line between Sec. 8. 17. T. 10 N. R. 5 W.
West	Quadrangle line between Sec. 8. 17. T. 10 N. R. 5 W.
40.00	Set a 1/4 section post on the true line from which a Beck. 12 in. diam. band. S 45 E. 18 links dist; & a, No 30 " " " N 44 W. 13 " "
80.00	Set a post for the cor of sec. 7. 8. 17+18 from which a Beck. 24 in. diam. band. N 13 E. 10 links dist; & a, Sugar. 14 " " " S 49 E. 14 " " Land and timber same as last mile

West	Petroleum Sec. 7+18 T. 10 N. R. 5 W.
------	--------------------------------------

T. N. 10 N. R. N. 5 W. 2nd Mer. Sec.

24.00 Trap Brook 10 links mid, Course N.E.
 40.00 Set a 74 sa post from which
 Buck 18 in. diam. beam. 927 E. 10 links mid; & a
 Neck 20 " " " N 60 W. 10 " "
 80.00 Intersect the West Boundary 225 links South of the post,
 cor of sec. 12 & 13. T. 10 N. R. 6 W. and set a post for the
 cor of sec. 7 & 18. from which
 13 Oak 8 in. diam. beam. 975 E. 9 links mid; & a
 Poplar 12 " " " N 45 W. 12 " "
 Sands and timber same as last mile.

North Between Sec. 7 & 8 T. 10 N. R. 5 W.
 26.00 Trap Brook 6 links mid, Course N.W.
 40.00 Set a 74 sa post from which
 11 Oak 30 in. diam. beam. 945 W. 12 links mid; & a
 Do. 21 " " " N 15 E. 17 " "
 68.50 Tra Neck 7 12 in. diam. in the line.
 80.00 Set a stump post for the cor of sec. 5, 6, 7 & 8.
 Sands 2nd var; Timber Buck, Sugar & Poplar.

East Oak Random line between Sec. 5 & 8, T. 10 N. R. 5 W.

West On the true line between Sec. 5 & 8, T. 10 N. R. 5 W.
 30.50 Trap Brook 8 links mid, Course N.E.
 40.00 Set a post for the cor of the sa post from which a (true line)
 Buck 20 in. diam. beam. 925 E. 10 links mid; & a
 Ash 20 " " " N 15 W. 11 " "
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which
 Poplar 10 in. diam. beam. 940 E. 9 links mid; & a
 Do. 6 " " " N 50 W. 14 " "
 Good land Buck land.

West Between Sec. 6 & 7, T. 10 N. R. 5 W.

T. N. 10 N. 57. 2^d Mer. Sud:

40.00	Set a 7/8 post from which W Oak 30 in diam. bend. N 45 E 40 links arb; V a, Lo 24, " " S 50 W 12, " "
49.50	Iron Brook 15 links min, corner N.
80.00	Intersect the West Boundary 225 links South of the post cor of Lat. 1. 57 W 41 10 N. 6 W. and set a post for the cor of Lat. 6 57. from which 1 Buck 15 in diam. bend. S 45 W 35 links arb; V a, Lo 18, " " S 55 E 47, " " Sand land; Timber Buck.
North	Return Lat. 57 6. T 10 N. 57 W.
5.00	Iron Brook 8 links min, corner N.
40.00	Set a 7/8 post from which W Oak 13 in diam. bend. S 40 W 26 links arb; V a, Sum. 12, " " N 35 E 27, " "
82.50	Intersect the N. Boundary 50 links East of the post cor. of Lat. 31 53 W T 11 N. 57 W. and set a post for the cor of Lat. 57 6. from which 1 Buck 20 in diam. bend. N 60 W 10 links arb; V a, Lo 13, " " S 10 E 58, " " Sand and timber land all about.
The following line was omitted in the proper place by mistake	
East	On a Random line between Lat 26 53 5 T 10 N. 57 W
West	On the true line between Lat. 26 53 5 T 10 N. 57 W
40.00	Set a 7/8 post on the true line from which Sugar. 12 in diam. bend. S 25 E 34 links arb; V a, Lo 13, " " N 80 W 37, " "
48.50	Iron Brook 10 links min, corner N. E.

T. N. 10 N. R. N. 5 W. 2nd Mer. Sec.

80.00	Set post for the cor. of sec. 26, 27, 34 & 35 from which - Neit 13 in. dia. beam. S 10 W 10 links arch; & a, Chasafus 4, " " " N 20 E 14 " " " Pretty good hilly land; Timber Beech, & Oak.
North	Between Sec. 26 & 27 T. 10 N. R. 5 W.
40.00	Set a 7/4 post from which - Post 20 in. dia. beam. S 55 W 34 links arch; & a, Logwood 4, " " " N 48 E 6 " " "
48.50	For Neit 24 in. dia. beam. in the line.
80.00	Set a trip 7 post for the cor. of sec. 22, 23, 26 & 27 Land and timber same as last mile.
East	On a Random line between Sec. 23 & 26. T. 10 N. R. 5 W.
West	On the true line between Sec. 23 & 26. T. 10 N. R. 5 W.
40.00	Set a 7/4 post on the true line from which - Sugar 10 in. dia. beam. N 75 E 7 links arch; & a, Oak 24, " " " S 68 W 45 " " "
80.00	Set a post for the cor. of sec. 22, 23, 26 & 27 from which - Post 4 in. dia. beam. S 10 W 16 links arch; & a, Log. 5 " " " " N 20 E 14 " " " Land hilly Timber Oak Beech &c.
North	Between Sec. 22 & 23 T. 10 N. R. 5 W.
40.00	Set a 7/4 post from which - Oak 10 in. dia. beam. West 7 links arch; & a, Sugar 20, " " " " N 30 E 33, " " "
57.00	For Post 13 links in line, course E.
80.00	Set a trip 7 post for the cor. of sec. 14, 15, 22 & 23 Surveyed by Sam Holmes D.S.

I N^o 10 N^o R. N^o 5 N^o D^o M^o Ind^o

I certify that the foregoing transcripts of the field
notes of I N^o 10 N^o R. N^o 5 N^o D^o M^o Ind^o have
been compared with the original notes in this Office &
found to be correct.

Surveyor General's Office,
Cincinnati, May 14. 1841

E. D. Kaines
Sur. Genl.